



SHOX5

**1000 ADJUSTABLE HEIGHT
FOOTREST INFOSET**




1000 FOOTREST OVERVIEW

Human Engineering Reference MIL-STD-1472G

Height Adjustment Travel 152 mm / 6 inch

Material Hard Anodized aluminum, 316L SS

Base Weight 4.5 kg / 10 lb








1000 FOOTREST OVERVIEW - ANGLED TREAD

Human Engineering Reference MIL-STD-1472G

Height Adjustment Travel 152 mm / 6 inch

Material Hard Anodized aluminum, 316L SS

Base Weight 4.5 kg / 10 lb






1000 FOOTREST ERGONOMICS

Human Engineering Reference MIL-STD-1472G

Height Adjustment Travel 152 mm / 6 inch

Material Hard Anodized aluminum, 316L SS

Base Weight 4.5 kg / 10 lb



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697



1000 FOOTREST ADJUSTMENT RANGE



Human Engineering Reference MIL-STD-1472G

Height Adjustment Travel 152 mm / 6 inch

Material Hard Anodized aluminum, 316L SS

Base Weight 4.5 kg / 10 lb

NOTE:
FOOT ACTIVATED LEVER ALLOWS SIMPLE AND EASY ADJUSTMENT UP AND DOWN





1000 FOOTREST MOUNTING

Human Engineering Reference MIL-STD-1472G

Height Adjustment Travel 152 mm / 6 inch

Material Hard Anodized aluminum, 316L SS

Base Weight 4.5 kg / 10 lb

