



SHOX5

2000 SEAT INFOSET






2000 SEAT OVERVIEW

Human Engineering Reference MIL-STD-1472G

Suspension Travel 125 mm / 5 inch

Material CNC Aluminum 316 SS / Titanium

Base Weight 37.6 kg / 83 lb





2000 SEAT CENTER OF MASS


Human Engineering Reference MIL-STD-1472G

Suspension Travel 125 mm / 5 inch


Material CNC Aluminum 316 SS / Titanium


Base Weight 37.6 kg / 83 lb

MASS OF SEAT	37.6 kg (83.0 lb)
MASS OF 95TH PERCENTILE MALE	97.2 kg (213.8 lb)
TOTAL MASS	134.8 kg (296.8 lb)



 CENTER OF MASS



 133 mm
[5.25 in]

ALLSALT MARITIME HOME OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697




2000 SEAT SIGHTLINES

Human Engineering Reference MIL-STD-1472G

Suspension Travel 125 mm / 5 inch

Material CNC Aluminum 316 SS / Titanium

Base Weight 37.6 kg / 83 lb



ALLSALT MARITIME HOME OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697





2000 SEAT CONSOLE ERGONOMICS

Human Engineering Reference MIL-STD-1472G

Suspension Travel 125 mm / 5 inch

Material CNC Aluminum 316 SS / Titanium

Base Weight 37.6 kg / 83 lb







2000 SEAT SPACING

Human Engineering Reference MIL-STD-1472G

Suspension Travel 125 mm / 5 inch

Material CNC Aluminum 316 SS / Titanium

Base Weight 37.6 kg / 83 lb







2000 STANDARD VS WIDE BUCKET

Human Engineering Reference MIL-STD-1472G

Suspension Travel 125 mm / 5 inch

Material CNC Aluminum 316 SS / Titanium

Base Weight 37.6 kg / 83 lb



ALLSALT MARITIME HOME OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697