



SHOX5

3200 X4 SEAT INFOSET







3200 X4 SEAT OVERVIEW

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 26.2 kg / 58 lb







ALLSALT MARITIME HOME OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697



3200 X4 WITH OPTIONS OVERVIEW

Includes options

- Fore/aft slider
- 360 continuous swivel
- Height adjust






3200 X4 SEAT CENTER OF MASS

Human Engineering Reference MIL-STD-1472G



Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 26.2 kg / 58 lb



MASS OF SEAT	29.6 kg (65.3 lbs)
MASS OF 95TH PERCENTILE MALE	97.2 kg (213.8 lbs)
TOTAL MASS	126.8 kg (279.5 lbs)



ALLSALT MARITIME HOME OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697




3200 X4 SEAT SIGHTLINES

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 26.2 kg / 58 lb



ALLSALT MARITIME HOME OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697




3200 X4 SEAT CONSOLE ERGONOMICS

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 26.2 kg / 58 lb



SEAT REFERENCE POINT (SRP)

ALLSALT MARITIME HOME OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697




3200 X4 SEAT SPACING

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 26.2 kg / 58 lb



ALLSALT MARITIME HOME OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697