



SHOX5

3700 X4 SEAT INFOSET






3700 X4 SEAT OVERVIEW

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 29 kg / 64 lb









3700 X4 SEAT CENTER OF MASS

Options Shown

- Fore/aft slider
- 360 continuous swivel
- Height adjust
- Footrest





3700 X4 SEAT CENTER OF MASS


Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in


Material Aluminum CNC Aluminum / 316 SS

Base Weight 29 kg / 64 lb

MASS OF SEAT	32.5KG(71.7LBS)
MASS OF 95TH PERCENTILE MALE	97.2KG(213.8LBS)
TOTAL MASS	129.7KG(285.5LBS)



 CENTER OF MASS



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697




3700 X4 SEAT SIGHTLINES

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 29 kg / 64 lb



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697




3700 X4 SEAT CONSOLE ERGONOMICS

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 29 kg / 64 lb



SEAT REFERENCE POINT (SRP)

ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697





3700 X4 SEAT SPACING

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 29 kg / 64 lb



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697