



SHOX5

3900 X4 SEAT INFOSET







3900 X4 SEAT OVERVIEW

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 14 kg / 32 lb



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697



3900 X4 SEAT CENTER OF MASS



Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 14 kg / 32 lb

MASS OF SEAT	17.8KG(39.2LBS)
MASS OF 95TH PERCENTILE MALE	97.2KG(214.3LBS)
TOTAL MASS	115.0KG(247.2LBS)



CENTER OF MASS

ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697




3900 X4 SEAT SIGHTLINES

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 14 kg / 32 lb






3900 X4 SEAT CONSOLE ERGONOMICS

Human Engineering Reference MIL-STD-1472G


Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 14 kg / 32 lb



SEAT REFERENCE POINT (SRP)







3900 X4 SEAT SPACING

Human Engineering Reference MIL-STD-1472G

Suspension Travel 112 mm / 4.4 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 14 kg / 32 lb



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697