



SHOX5

3900 X8 SEAT INFOSET




3900 X8 SEAT OVERVIEW

Human Engineering Reference MIL-STD-1472G

Suspension Travel 203 mm / 8 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 17 kg / 38 lb



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697



3900 X8 SEAT CENTER OF MASS



Human Engineering Reference MIL-STD-1472G

Suspension Travel 203 mm / 8 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 17 kg / 38 lb

MASS OF SEAT	57.7LBS(26.2KG)
MASS OF 95TH PERCENTILE MALE	213.8LBS(97.2KG)
TOTAL MASS	271.5LBS(123.4KG)



CENTER OF MASS

ALLSALT MARITIME OWNER OF SHOXS AND KINETIX / ALLSALT.COM / SHOXS.COM / 1 (888) 637.4697





3900 X8 SEAT SIGHTLINES

Human Engineering Reference MIL-STD-1472G

Suspension Travel 203 mm / 8 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 17 kg / 38 lb






3900 X8 SEAT CONSOLE ERGONOMICS

Human Engineering Reference MIL-STD-1472G

Suspension Travel 203 mm / 8 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 17 kg / 38 lb



SEAT REFERENCE POINT (SRP)

ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697




3900 X8 SEAT SPACING

Human Engineering Reference MIL-STD-1472G

Suspension Travel 203 mm / 8 in

Material Aluminum CNC Aluminum / 316 SS

Base Weight 17 kg / 38 lb



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697