







SHOXS

5005 SEAT INFOSET



5005 SEAT OVERVIEW

Human Engineering Reference MIL-STD-1472G

Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 18 kg / 40 lb



5005 SEAT CENTER OF MASS



Human Engineering Reference MIL-STD-1472G

Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 18 kg / 40 lb

MASS OF SEAT	17.5 kg (38.5.0 lb)
MASS OF 95TH PERCENTILE MALE	97.2 kg (213.8 lb)
TOTAL MASS	114.7kg (252.3 lb)






5005 SEAT SIGHTLINES

Human Engineering Reference MIL-STD-1472G

Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 18 kg / 40 lb






5005 SEAT CONSOLE ERGONOMICS

Human Engineering Reference MIL-STD-1472G

Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 18 kg / 40 lb



SEAT REFERENCE POINT (SRP)

ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697



5005 SEAT SPACING

Human Engineering Reference MIL-STD-1472G

Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 18 kg / 40 lb

