




SHOXS

5105 SEAT INFOSET






5105 SEAT OVERVIEW

Human Engineering Reference MIL-STD-1472G

Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 16.8 kg / 36.7 lb



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697



5105 SEAT CENTER OF MASS

Human Engineering Reference MIL-STD-1472G



Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 16.8 kg / 36.7 lb

MASS OF SEAT	16.8 kg (36.7lb)
MASS OF 95TH PERCENTILE MALE	97.2 kg (213.8 lb)
TOTAL MASS	114.0 kg (250.5 lb)

MASS OF **GREY** COMPONENTS
NOT INCLUDED






5105 SEAT SIGHTLINES

Human Engineering Reference MIL-STD-1472G

Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 16.8 kg / 36.7 lb



ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697





5105 SEAT CONSOLE ERGONOMICS

Human Engineering Reference MIL-STD-1472G

Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 16.8 kg / 36.7 lb



SEAT REFERENCE POINT (SRP)

ALLSALT MARITIME OWNER OF SHOX5 AND KINETIX / ALLSALT.COM / SHOX5.COM / 1 (888) 637.4697



5105 SEAT SPACING

Human Engineering Reference MIL-STD-1472G

Suspension Travel 254 mm / 10 in

Material Aluminum 316 SS

Base Weight 16.8 kg / 36.7 lb

